



Kite Announces Plans to Bolster Industry-Leading Cell Therapy Manufacturing Capabilities With New Viral Vector Facility

July 16, 2019

SANTA MONICA, Calif.--(BUSINESS WIRE)--Jul. 16, 2019-- Kite, a Gilead Company (Nasdaq: GILD), today announced plans for a new 67,000-square-foot facility in Oceanside, California, dedicated to the development and manufacturing of viral vectors, a critical starting material in the production of cell therapies. The new site builds on Kite's existing state-of-the-art manufacturing capabilities to deliver innovative cell therapies for people with cancer, including Yescarta[®] (axicabtagene ciloleucel), Kite's first commercially available chimeric antigen receptor T (CAR T) cell therapy, and investigational T cell receptor (TCR) and tumor neoantigen targeting cell therapies being evaluated in solid tumors.

This press release features multimedia. View the full release here: <https://www.businesswire.com/news/home/20190716005214/en/>

"The new viral vector facility in Oceanside is an example of our continued investment in achieving technical advances that will help meet the needs of people living with cancer today and in the future," said Tim Moore, Executive Vice President of Technical Operations at Kite. "Viral vectors are one of the key components in cell therapy production, however, the industry's current development and manufacturing capabilities are not widely established and supply is limited. By pursuing our own viral vector facility, we will be able to advance viral vector development and supply to allow for accelerated process development of current CAR T and future pipeline therapies, while continuing to partner with external suppliers."

Kite's facility will be constructed within an existing Gilead biologics operations facility in Oceanside and will become part of Kite's growing commercial manufacturing network that includes sites in California, Maryland and the Netherlands.

Important Safety Information and Indication for Yescarta

BOXED WARNING: CYTOKINE RELEASE SYNDROME AND NEUROLOGIC TOXICITIES

- **Cytokine Release Syndrome (CRS), including fatal or life-threatening reactions, occurred in patients receiving Yescarta. Do not administer Yescarta to patients with active infection or inflammatory disorders. Treat severe or life-threatening CRS with tocilizumab or tocilizumab and corticosteroids.**
- **Neurologic toxicities, including fatal or life-threatening reactions, occurred in patients receiving Yescarta, including concurrently with CRS or after CRS resolution. Monitor for neurologic toxicities after treatment with Yescarta. Provide supportive care and/or corticosteroids as needed.**
- **Yescarta is available only through a restricted program under a Risk Evaluation and Mitigation Strategy (REMS) called the Yescarta REMS.**

CYTOKINE RELEASE SYNDROME (CRS): CRS occurred in 94% of patients, including 13% with \geq Grade 3. Among patients who died after receiving Yescarta, 4 had ongoing CRS at death. The median time to onset was 2 days (range: 1-12 days) and median duration was 7 days (range: 2-58 days). Key manifestations include fever (78%), hypotension (41%), tachycardia (28%), hypoxia (22%), and chills (20%). Serious events that may be associated with CRS include cardiac arrhythmias (including atrial fibrillation and ventricular tachycardia), cardiac arrest, cardiac failure, renal insufficiency, capillary leak syndrome, hypotension, hypoxia, and hemophagocytic lymphohistiocytosis/macrophage activation syndrome. Ensure that 2 doses of tocilizumab are available prior to infusion of Yescarta. Monitor patients at least daily for 7 days at the certified healthcare facility following infusion for signs and symptoms of CRS. Monitor patients for signs or symptoms of CRS for 4 weeks after infusion. Counsel patients to seek immediate medical attention should signs or symptoms of CRS occur at any time. At the first sign of CRS, institute treatment with supportive care, tocilizumab or tocilizumab and corticosteroids as indicated.

NEUROLOGIC TOXICITIES: Neurologic toxicities occurred in 87% of patients. Ninety-eight percent of all neurologic toxicities occurred within the first 8 weeks, with a median time to onset of 4 days (range: 1-43 days) and a median duration of 17 days. Grade 3 or higher occurred in 31% of patients. The most common neurologic toxicities included encephalopathy (57%), headache (44%), tremor (31%), dizziness (21%), aphasia (18%), delirium (17%), insomnia (9%) and anxiety (9%). Prolonged encephalopathy lasting up to 173 days was noted. Serious events including leukoencephalopathy and seizures occurred with Yescarta. Fatal and serious cases of cerebral edema have occurred in patients treated with Yescarta. Monitor patients at least daily for 7 days at the certified healthcare facility following infusion for signs and symptoms of neurologic toxicities. Monitor patients for signs or symptoms of neurologic toxicities for 4 weeks after infusion and treat promptly.

YESCARTA REMS: Because of the risk of CRS and neurologic toxicities, Yescarta is available only through a restricted program under a Risk Evaluation and Mitigation Strategy (REMS) called the Yescarta REMS. The required components of the Yescarta REMS are: Healthcare facilities that dispense and administer Yescarta must be enrolled and comply with the REMS requirements. Certified healthcare facilities must have on-site, immediate access to tocilizumab, and ensure that a minimum of 2 doses of tocilizumab are available for each patient for infusion within 2 hours after Yescarta infusion, if needed for treatment of CRS. Certified healthcare facilities must ensure that healthcare providers who prescribe, dispense or administer Yescarta are trained about the management of CRS and neurologic toxicities. Further information is available at www.YESCARTAREMS.com or 1-844-454-KITE (5483).

HYPERSENSITIVITY REACTIONS: Allergic reactions may occur. Serious hypersensitivity reactions including anaphylaxis may be due to dimethyl sulfoxide (DMSO) or residual gentamicin in Yescarta.

SERIOUS INFECTIONS: Severe or life-threatening infections occurred. Infections (all grades) occurred in 38% of patients, and in 23% with \geq Grade 3. Grade 3 or higher infections with an unspecified pathogen occurred in 16% of patients, bacterial infections in 9%, and viral infections in 4%. Yescarta should not be administered to patients with clinically significant active systemic infections. Monitor patients for signs and symptoms of infection before and after Yescarta infusion and treat appropriately. Administer prophylactic anti-microbials according to local guidelines. Febrile neutropenia was observed in 36% of patients and may be concurrent with CRS. In the event of febrile neutropenia, evaluate for infection and manage with broad

spectrum antibiotics, fluids and other supportive care as medically indicated. Hepatitis B virus (HBV) reactivation, in some cases resulting in fulminant hepatitis, hepatic failure and death, can occur in patients treated with drugs directed against B cells. Perform screening for HBV, HCV, and HIV in accordance with clinical guidelines before collection of cells for manufacturing.

PROLONGED CYTOPENIAS: Patients may exhibit cytopenias for several weeks following lymphodepleting chemotherapy and Yescarta infusion. Grade 3 or higher cytopenias not resolved by Day 30 following Yescarta infusion occurred in 28% of patients and included thrombocytopenia (18%), neutropenia (15%), and anemia (3%). Monitor blood counts after Yescarta infusion.

HYPOGAMMAGLOBULINEMIA: B-cell aplasia and hypogammaglobulinemia can occur. Hypogammaglobulinemia occurred in 15% of patients. Monitor immunoglobulin levels after treatment and manage using infection precautions, antibiotic prophylaxis and immunoglobulin replacement. The safety of immunization with live viral vaccines during or following Yescarta treatment has not been studied. Vaccination with live virus vaccines is not recommended for at least 6 weeks prior to the start of lymphodepleting chemotherapy, during Yescarta treatment, and until immune recovery following treatment.

SECONDARY MALIGNANCIES: Patients may develop secondary malignancies. Monitor life-long for secondary malignancies. In the event that a secondary malignancy occurs, contact Kite at 1-844-454-KITE (5483) to obtain instructions on patient samples to collect for testing.

EFFECTS ON ABILITY TO DRIVE AND USE MACHINES: Due to the potential for neurologic events, including altered mental status or seizures, patients are at risk for altered or decreased consciousness or coordination in the 8 weeks following Yescarta infusion. Advise patients to refrain from driving and engaging in hazardous occupations or activities, such as operating heavy or potentially dangerous machinery, during this initial period.

ADVERSE REACTIONS: The most common adverse reactions (incidence \geq 20%) include CRS, fever, hypotension, encephalopathy, tachycardia, fatigue, headache, decreased appetite, chills, diarrhea, febrile neutropenia, infections-pathogen unspecified, nausea, hypoxia, tremor, cough, vomiting, dizziness, constipation, and cardiac arrhythmias.

INDICATION

Yescarta is a CD19-directed genetically modified autologous T cell immunotherapy indicated for the treatment of adult patients with relapsed or refractory large B-cell lymphoma after two or more lines of systemic therapy, including diffuse large B-cell lymphoma (DLBCL) not otherwise specified, primary mediastinal large B-cell lymphoma, high grade B-cell lymphoma, and DLBCL arising from follicular lymphoma.

Limitation of Use: Yescarta is not indicated for the treatment of patients with primary central nervous system lymphoma.

About Kite

Kite, a Gilead Company, is a biopharmaceutical company based in Santa Monica, California. Kite is engaged in the development of innovative cancer immunotherapies. The company is focused on chimeric antigen receptor and T cell receptor engineered cell therapies. For more information on Kite, please visit www.kitepharma.com.

About Gilead Sciences

Gilead Sciences, Inc. is a research-based biopharmaceutical company that discovers, develops and commercializes innovative medicines in areas of unmet medical need. The company strives to transform and simplify care for people with life-threatening illnesses around the world. Gilead has operations in more than 35 countries worldwide, with headquarters in Foster City, California. For more information on Gilead Sciences, please visit the company's website at www.gilead.com.

Forward-Looking Statement

This press release includes forward-looking statements, within the meaning of the Private Securities Litigation Reform Act of 1995 that are subject to risks, uncertainties and other factors, including the risk that Kite may not realize the potential benefits of this new manufacturing facility and the risk that this new facility may not be fully operational in the currently anticipated timelines. All statements other than statements of historical fact are statements that could be deemed forward-looking statements. These risks, uncertainties and other factors could cause actual results to differ materially from those referred to in the forward-looking statements. The reader is cautioned not to rely on these forward-looking statements. These and other risks are described in detail in Gilead's Annual Report on Form 10-Q for the quarter ended March 31, 2019, as filed with the U.S. Securities and Exchange Commission. All forward-looking statements are based on information currently available to Gilead and Kite, and Gilead and Kite assume no obligation to update any such forward-looking statements.

US Prescribing Information for Yescarta, including **BOXED WARNING** and Medication Guide, is available at www.kitepharma.com and www.gilead.com.

Yescarta is a registered trademark of Gilead Sciences, Inc., or its related companies.

For more information on Kite, please visit the company's website at www.kitepharma.com. Learn more about Gilead at www.gilead.com, follow Gilead on Twitter (@GileadSciences) or call Gilead Public Affairs at 1-800-GILEAD-5 or 1-650-574-3000.

View source version on businesswire.com: <https://www.businesswire.com/news/home/20190716005214/en/>

Source: Kite, a Gilead Company

Sung Lee, Investors
(650) 524-7792

Shant Salakian, Media
(424) 384-1841